SAFETY DATA SHEET



LTZ Green DEF ™ (Diesel Exhaust Fluid)

Section 1. Identification

GHS product identifier	: LTZ Green DEF
Other means of identification	: Designation or trade mark: Automotive grade urea solution, AUS 32, AdBlue TM Aqueous Urea Solution 32.5%
Product type	: Liquid.
Product use	: Synthetic/Analytical chemistry.
Synonym	: Designation or trade mark: Automotive grade urea solution, AUS 32, AdBlue TM Aqueous Urea Solution 32.5%
SDS #	: 002201
Supplier's details	: LTZ Energy Solutions LLC and its affiliates 651 N Broad St Middletown, DE 19709 +1(212) 287-7707
24-hour telephone	: +1(212) 287-7707

Section 2. Hazards identification

OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	: Not classified.
<u>GHS label elements</u>	
Signal word	: No signal word.
Hazard statements	: Not applicable.
Precautionary statements	
General	: Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Not applicable.
Response	: Not applicable.
Disposal	: Not applicable.
Hazards not otherwise classified	: None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Other means of identification	:	Designation or trade mark: Automotive grade urea solution, AUS 32, AdBlue TM Aqueous Urea Solution 32.5%
Product code	:	002201

Ingredient name	%	CAS number
WATER	66.3 - 67.7	7732-18-5
urea	31.8 - 33.2	57-13-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Most important symptoms/eff	ec	ts, acute and delayed
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.

Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.

Frostbite : Try to warm up the frozen tissues and seek medical attention.

Ingestion	No known significant effects or critical hazards.	
Over-exposure signs/sympto	i de la constante d	
Eye contact	No specific data.	
Inhalation	No specific data.	
Skin contact	No specific data.	
Ingestion	No specific data.	
Indication of immediate med	l attention and special treatment needed, if necessary	
Notes to physician	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.	
Specific treatments	No specific treatment.	
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training.	
See toxicological information (Section 11)		

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	:	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	:	None known.
Specific hazards arising from the chemical	:	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides
Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full facepiece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures

For non-emergency
personnel: No action shall be taken involving any personal risk or without suitable training.
Evacuate surrounding areas. Keep unnecessary and unprotected personnel from
entering. Do not touch or walk through spilled material. Put on appropriate personal
protective equipment.

For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for con	<u>ita</u>	inment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	Put on appropriate personal protective equipment (see Section 8).	
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eatir drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.	۱g,
Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers Use appropriate containment to avoid environmental contamination. See Section for incompatible materials before handling or use.	s.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
WATER urea	None. AIHA WEEL (United States, 7/2018). TWA: 10 mg/m ³ 8 hours.

Appropriate engineering controls	Good general ventilation should be sufficient to control worker exposure to a contaminants.	irborne
Environmental exposure controls	missions from ventilation or work process equipment should be checked to hey comply with the requirements of environmental protection legislation. In cases, fume scrubbers, filters, or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.	
Individual protection measur		
Hygiene measures	Vash hands, forearms and face thoroughly after handling chemical products, eating, smoking, and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Vash contaminated clothing before reusing. Ensure that eyewash stations ar afety showers are close to the workstation location.	
Eye/face protection	Safety eyewear complying with an approved standard should be used when a assessment indicates this is necessary to avoid exposure to liquid splashes, r gases, or dusts. If contact is possible, the following protection should be wor inless the assessment indicates a higher degree of protection: safety glasses ide shields.	nists, n,
Skin protection		
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard be worn at all times when handling chemical products if a risk assessment in his is necessary.	
Body protection	Personal protective equipment for the body should be selected based on the being performed and the risks involved and should be approved by a specialis before handling this product.	
Other skin protection	Appropriate footwear and any additional skin protection measures should be elected based on the task being performed and the risks involved and shoul approved by a specialist before handling this product.	
Respiratory protection	Based on the hazard and potential for exposure, select a respirator that meet appropriate standard or certification. Respirators must be used according to espiratory protection program to ensure proper fitting, training, and other im aspects of use.	a

Section 9. Physical and chemical properties

<u>Appearance</u>	
Physical state :	Liquid.
Color :	Colorless.
Odor :	ammonia (pungent) [Slight]
Odor threshold :	Not available.
pH :	Not available.
Melting point :	-11.111°C (12°F)
Boiling point :	Lowest known value: 100°C (212°F) (water)

:	Not available.
:	Not available.
:	Weighted average: 1.09
:	Not available.

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hazardous polymerization	: Under normal conditions of storage and use, hazardous polymerization will not occur.

Section 11. Toxicological information

Information on toxicological effects

<u>Acute toxicity</u>				
Product/ingredient name	Result	Species	Dose	Exposure

LTZ Green DEF ™ (Diesel Exhaust Fluid)		

urea LD50 Oral	Rat	8471 mg/kg	-
----------------	-----	------------	---

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
urea	Skin - Mild irritant Skin - Moderate irritant	Human Human		72 hours 22 mg I 24 hours 20 %	-

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely : Not available. routes of exposure

Potential acute health effects

Eye contact	No known significant effects or critical haz	ards.
Inhalation	No known significant effects or critical haz	ards.
Skin contact	No known significant effects or critical haz	ards.
Ingestion	No known significant effects or critical haz	ards.
Symptoms related to the physical sector of th	cal, chemical, and toxicological characteris	stics
Eye contact	No specific data.	
Inhalation	No specific data.	
Skin contact	No specific data.	
Ingestion	No specific data.	

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure			
Potential immediate effects	:	Not available.	
Potential delayed effects	:	Not available.	
Long-term exposure			
Potential immediate effects	:	Not available.	
Potential delayed effects	:	Not available.	
Potential chronic health effects			
General	:	No known significant effects or critical hazards.	
Carcinogenicity	:	No known significant effects or critical hazards.	
Mutagenicity	:	No known significant effects or critical hazards.	
Teratogenicity	:	No known significant effects or critical hazards.	
Developmental effects	:	No known significant effects or critical hazards.	
Fertility effects	:	No known significant effects or critical hazards.	

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

oxicity			
Product/ingredient name	Result	Species	Exposure
urea	Acute EC50 6573.1 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute EC50 3910000 µg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 22.5 ppt Fresh water	Fish - Oreochromis mossambicus - Young	96 hours
	Chronic NOEC 2 g/L Fresh water	Fish - Heteropneustes fossilis	30 days

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
WATER	-1.38	-	low
urea	<-1.73		low

Mobility in soil

Soil/water partition coefficient (K _{oc})	: Not available.
Other adverse effects	: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT	TDG	Mexico	IMDG	ΙΑΤΑ
UN number	Not regulated.				
UN proper shipping name	-	-	-	-	-
Transport hazard class(es)	\bigotimes	\bigotimes	\bigotimes	\bigotimes	\bigotimes
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.

"Refer to CFR 49 (or authority having jurisdiction) to determine the information required for shipment of the 3product."

Additional information

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

Section 15. Regulatory information

U		-			
U.S. Federal regulations	:	TSCA 8(a) CDR Exempt/Partial exemption: Not determined			
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	:	Not listed			
Clean Air Act Section 602 Class I Substances	:	Not listed			
Clean Air Act Section 602Class II Substances	:	Not listed			
DEA List I Chemicals (Precursor Chemicals)	:	Not listed			
DEA List II Chemicals (Essential Chemicals)	:	Not listed			
<u>SARA 302/304</u>					
Composition/information on ingredients No products were found.					
SARA 304 RQ	:	Not applicable.			
<u>SARA 311/312</u>					
Classification	:	Refer to Section 2: Hazards Identification of this SDS for classification of substance.			
State regulations					
Massachusetts	:	None of the components are listed.			
New York	:	None of the components are listed.			
New Jersey	:	None of the components are listed.			
Pennsylvania	:	None of the components are listed.			
<u>California Prop. 65</u>					
This product does not re	equ	ire a Safe Harbor warning under California Prop. 65.			
International regulations					
<u>Chemical Weapon Conventi</u> Not listed.	<u>on</u>	<u>List Schedules I, II & III Chemicals</u>			
Montreal Protocol Not listed.					

<u>Stockholm Convention on Persistent Organic Pollutants</u> Not listed.

Rotterdam Convention on Prior Informed Consent (PIC) Not listed.


UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list	
Australia :	All components are listed or exempted.
Canada :	All components are listed or exempted.
China :	All components are listed or exempted.
Europe :	All components are listed or exempted.
Japan :	Japan inventory (ENCS): All components are listed or exempted. Japan inventory (ISHL): Not determined.
New Zealand :	All components are listed or exempted.
Philippines :	All components are listed or exempted.
Republic of Korea :	All components are listed or exempted.
Taiwan :	All components are listed or exempted.
Thailand :	Not determined.
Turkey :	Not determined.
United States :	All components are active or exempted.
Viet Nam :	All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS[®] ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS[®] ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS[®] ratings are to be used with a fully implemented HMIS[®] program. HMIS[®] is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS[®] Personal Protective Equipment (PPE) codes, consult the HMIS[®] Implementation Manual.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health, and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

Classification		Justification	
Not classified.			
<u>History</u>			
Date of printing	: 1/22/2022		
Date of issue/Date of revision	: 1/22/2022		
Date of previous issue	: 1/20/2022		
Version	: 1.01		
Key to abbreviations	IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partitio MARPOL = International Convention for the Prev	BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)	
References	: Not available.		

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.